

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

MAIN BUILDING

This Finishing Schedule shall be read in conjunction with estimate AND CPWD specifications

GROUND FLOOR PLAN

Sl.No.	Description	Door		Window	Internal Walls	External walls	Flooring / Skirting	Ceiling
		Frame	Shutter	Frame & Shutter				
1	Entrance Lobby	Structure Glazing		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint and Wooden Panelling wall paneling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite Flooring	Waffel ceiling
2	Banking Facility	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
3	Exhibition area	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	Waffel ceiling
4	Waiting area	12mm thick toughened glass shutters fixed on floor spring		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint and Wooden Panelling wall paneling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite Flooring	600x600mm calcium silicate tiles and calcium silicate board on periphery
5	Patent Cell	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
6	admin and consultancy area	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
7	Meeting	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling
8	Dining	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	Waffel ceiling
9	Cafe	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	Waffel ceiling
10	Pantry	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
11	labs (EXTRACTION UNITS)	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
12	toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium silicate tiles and calcium silicate board on periphery
13	VIP Entrance lobby	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite Flooring	600x600mm calcium silicate tiles and calcium silicate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

14	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) 1.2m High Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint
15	Ramp and Staircases, entrance steps and planters	--	--	do	1) Plastering (12/15mm thk.) 2) cement putty. 3) 1.2m High Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint
16	lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
17	Office	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
18	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
19	Service room	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint

FIRST FLOOR

23	Administrative activities	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint and Wooden Panelling wall paneling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
24	Equipment store	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
25	Board room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
26	Staff room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
27	HOD room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
28	Cabin	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
29	Registrar room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
30	Interaction room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
31	Compactor room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

32	Director room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
33	DG room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
34	Anti room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
35	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
36	PA room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
37	CONFERENCE HALL	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
38	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

SECOND FLOOR

39	BIO INCUBATORS	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
40	MICROBIOLOGY LABS	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
41	ENVIRONMENT BIO LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
42	TISSUE CULTURE ROOM & PLANT GENETIC TRANSFORMATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
43	UP-STREAM DN-STREAM LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
44	Microscopy room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
45	Multipurpose hall	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
46	Reserch area	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

47	Janitor room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	
48	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
49	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
50	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
51	CONFERENCE HALL	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	do
52	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling
54	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

THIRD FLOOR

55	labs (FERMENTATION BLOCK)	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
56	TISSUE CULTURE ROOM & PLANT GENETIC TRANSFORMATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
57	ENVIRONMENT BIO LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
58	ENVIRONMENT BIO LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
59	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
60	Co-working open space	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
61	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling
62	Interation room	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

63	Instrument room	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
64	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
65	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
66	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint	
67	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
68	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
69	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint	
70	Cell culture facility	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
FOURTH FLOOR									
71	GYM	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	sports Flooring	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
72	Libarary	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
73	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint	
74	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
75	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling	
76	Instrument room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	
77	BIO INCUBATORS (ALL TYPICLA LABS)	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery	

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

78	Interation room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
79	SERVER ROOM	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
80	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
81	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
82	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
83	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
84	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
85	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint
86	Computer lab IT/ interpretation library	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery

FIFTH FLOOR

87	Open Icubation space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
88	INCUBATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
89	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
90	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
91	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel celing
92	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

93	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium silicate tiles and calcium silicate board on periphery
94	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
95	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium silicate tiles and calcium silicate board on periphery
96	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium silicate tiles and calcium silicate board on periphery
97	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint

SIXTH FLOOR

98	Open Incubation space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
99	INCUBATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
100	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
101	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
102	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel celing
103	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium silicate tiles and calcium silicate board on periphery
104	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium silicate tiles and calcium silicate board on periphery
105	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
106	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium silicate tiles and calcium silicate board on periphery
107	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium silicate tiles and calcium silicate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

108	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) 1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint
SEVENTH FLOOR								
109	Open Icubation space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
110	INCUBATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
111	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
112	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
113	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel celing
114	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
115	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
116	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
117	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
118	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
119	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) 1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint
EIGHT FLOOR								
120	Open Icubation space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
121	INCUBATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium cilicate tiles and calcium cilicate board on periphery
122	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

123	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
124	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling
125	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
126	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
127	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
128	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
129	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
130	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) 1.2m Heigh Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint

Ninth FLOOR

131	Open Incubation space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
132	INCUBATION LAB	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
133	AHU	Metal Fire Door			1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
134	Co-working open space	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
135	MEETING ROOM	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	Wooden wall panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	wooden Laminate Flooring	Waffel ceiling
136	Cabin	Anodised Aluminium (Matt finish) frame work	12mm thick toughened glass shutters fixed on floor spring	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Wall Panelling	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	600X600mm/800x800mm double charge vitrified tiles	600x600mm calcium ciliate tiles and calcium ciliate board on periphery
137	Lift lobby	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint /Granite	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium ciliate tiles and calcium ciliate board on periphery

Finishing Schedule For 202210-GBU-INCITE BUILDING-FINISHING SCHEDULE

138	Store room/ cold room	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3) Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Kota stone	Emulsion Paint
139	Corridor	Anodised Aluminium (Matt finish) frame work	35mm solid cored flush door with 1mm thick laminate with Vision Panel	Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 1.2 m ht & Acrylic washable distemper above 1.2 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite	600x600mm calcium silicate tiles and calcium silicate board on periphery
140	Toilets	Toilet Cubicals		Powder coated aluminium section with DGU Glass	Ceramic tile of 300x450 mm dado upto 3000 ht Plastic Emulsion paint & above 3000 mm if any	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	antiskid vitrified 600 x 600 mm size	600x600mm calcium silicate tiles and calcium silicate board on periphery
141	Staircase	Metal Fire Door		Powder coated aluminium section with DGU Glass	1) Plastering (12/15mm thk.) 2) cement putty. 3)1.2m High Ceramic Tile Dedo after that Plastic Emulsion Paint	20mm thick Double coat Sand Faced / Mala cement plaster and texture paint / Structure Glazing /Louvers	Granite with 1.2 meter high SS Railing	Emulsion Paint